




Georgia's  
**State Water Plan**

**Introduction to Resource Assessments**

[www.georgiawaterplanning.org](http://www.georgiawaterplanning.org)

# Water Planning Process



# Our Focus Today

Water Resource  
Assessments

Forecasts

Public  
Participation

## Water Resource Assessments

Resource assessments along with the forecasts form the scientific basis for the regional WDCPs. Three resource assessments will be provided to the regional water planning councils:

1. **Groundwater Availability**
2. Surface Water Availability
3. Surface Water Quality

Assessments are completed based on the boundaries of the resource, not the water planning region.

Environ  
and  
Economic Pr


# Resource Assessments

## Groundwater Availability


The Georgia Environmental Protection Division (EPD) is preparing an assessment of groundwater availability state-wide.

# Groundwater Availability Assessment


## 2005 Water Use in Georgia



**Total water withdrawals—5,528 Mgal/d**




**Ground-water withdrawals—1,171 Mgal/d**




**Surface-water withdrawals—4,357 Mgal/d**

# Groundwater Availability Assessment


## 2005 Water Use in Georgia Excluding Thermoelectric Use



Total Water Withdrawals – 2,807 mgd



Surface Water  
Withdrawals  
1,640 mgd  
(58.4%)



Groundwater  
Withdrawals  
1,167 mgd  
(41.6%)

# Groundwater Availability Assessment

## Assessment of Groundwater Availability Driven by Section 4 of the Water Management Plan

Manage the consumptive use of water on the basis of defined hydrologic systems of surface water and groundwater

Determine the sustainable yield and consumptive use assessment for each resource based on dry year conditions

A comprehensive accounting of the sustainable yields of all aquifers in Georgia would be extraordinarily expensive and time consuming

Aquifer assessments of sustainable yield are prioritized



# Groundwater Availability Assessment

## Prioritization of Aquifers and Aquifer Units for Assessment of Sustainable Yield

Functional characteristics of the aquifer


Existing evidence of adverse effects due to withdrawals from the aquifer

Forecasts suggesting significant increases in demands placed on the aquifer

Aquifers where it will not be possible to determine sustainable yield within a reasonable time period


# Groundwater Availability Assessment


## Georgia's Aquifers




### EXPLANATION


#### COASTAL PLAIN AQUIFERS

 Floridan aquifer system


 Claiborne, Clayton, and Providence aquifers


 Cretaceous aquifer systems

#### PIEDMONT AND BLUE RIDGE AQUIFERS


 Crystalline-rock aquifers

#### VALLEY AND RIDGE AND APPALACHIAN PLATEAUS AQUIFERS

 Paleozoic rock aquifer


 Not a principal aquifer

#### VALLEY AND RIDGE AND APPALACHIAN PLATEAUS



# Groundwater Resource Assessment


## 2005 Groundwater Use by Aquifer




- 86.5% of groundwater was withdrawn from Coastal Plain aquifers in southern Georgia (Floridan, Cretaceous, Claiborne, Clayton)
- 13.5% of groundwater was withdrawn from crystalline rock and Paleozoic rock aquifers in northern Georgia

# Groundwater Availability Assessment

## 2005 Groundwater Withdrawals




Withdrawals, in million gallons per day



- Highest amounts of groundwater withdrawals were in the Coastal Plain of southern Georgia
- There were relatively high amounts of groundwater withdrawals in some counties of northern Georgia


# Groundwater Availability Assessment

## Percentage of 2005 Water Withdrawals That Were From Groundwater



### EXPLANATION

#### Percentage of total water withdrawal



- Counties with the highest percentages of water from groundwater were in the Coastal Plain of southern Georgia
- Some counties in northern Georgia had high percentages of water from groundwater

# Groundwater Availability Assessment

## Determine Sustainable Yield

Determine sustainable yield of aquifers and aquifer units for which current or projected withdrawals could cause unacceptable impacts such as

Progressive reduction of the groundwater resource as indicated by dropping water levels that do not recover

Reduction of stream flows

Salt water intrusion

Sinkhole development

Sustainable yield will be developed through development of a numerical model or water balance

# Groundwater Availability Assessment

## Prioritization of Aquifers for Determination of Sustainable Yield

Numerical (MODFLOW) computer models of Coastal Plain aquifers where most groundwater is withdrawn, groundwater withdrawals have caused some unacceptable impacts, and forecasts suggest increases in future withdrawals

Upper Floridan aquifer in Tift County area

Cretaceous aquifer between Macon and Augusta

Claiborne aquifer in southwestern Georgia

Upper Floridan aquifer in eastern Coastal Plain

Water balance models in the north Georgia crystalline and Paleozoic rock aquifers where less groundwater is withdrawn

# Groundwater Availability Assessment

## Aquifer Sustainable Yield may be Limited by Groundwater Quality

No direct wastewater disposal to groundwater in Georgia

Evaluate groundwater quality in a different manner than surface water quality

May have to limit groundwater withdrawals to not impair groundwater quality

- Limit withdrawals from Atlantic Coastal Plain aquifers to manage salt water intrusion

- Limit withdrawals from crystalline and Paleozoic rock aquifers in areas of man-made pollutant plumes (e.g. landfill leachate, dry cleaner plumes, underground storage tank (UST) plumes)

# Our Focus Today

Water Resource  
Assessments

Forecasts

Public  
Participation

## Water Resource Assessments

Resource assessments along with the forecasts form the scientific basis for the regional WDCPs. Three resource assessments will be provided to the regional water planning councils:

1. Groundwater Availability
- 2. Surface Water Availability**
3. Surface Water Quality

Assessments are completed based on the boundaries of the resource, not the water planning region.

Environ  
and  
Economic Pr

# Resource Assessments

## Surface Water Availability

The Georgia Environmental Protection Division (EPD) is preparing an assessment of surface water availability state-wide using a computer model developed by the Georgia Tech Water Resources Institute.



# Surface Water Availability Assessment

## Overarching Questions

How much water are we using?

How much water do we have?

How much water is naturally available?


How much water can we reliably use without compromising the in-stream flow needs?

What are the in-stream flow needs?

How much water use can be sustained subject to these needs?

# Surface Water Availability Assessment

## River Basin Map with Nodes



# Our Focus Today

Water Resource  
Assessments

Forecasts

Public  
Participation

## Water Resource Assessments

Resource assessments along with the forecasts form the scientific basis for the regional WDCPs. Three resource assessments will be provided to the regional water planning councils:


1. Groundwater Availability
2. Surface Water Availability
- 3. Surface Water Quality**

Assessments are completed based on the boundaries of the resource, not the water planning region.

Environ  
and  
Economic Pr

# Surface Water Quality Assessment

2008 305(b)/303(d) listed Segments





# Surface Water Quality Assessment

## Current Assimilative Capacity Assessment

Develop water quality models using available data and conservative assumptions

Calibrate models to existing conditions

Use models to conduct resource assessments to evaluate current wasteload allocations

Identify areas with available assimilative capacity

Identify areas of overallocation or other challenges



# Surface Water Quality Assessment

## Future Assimilative Capacity Assessment

Use models to assist in planning by evaluating the water quality impacts of forecasted flows, proposed discharge locations, and future land use patterns

Based on model results, Georgia EPD will propose a range of discharge allocation options to the Regional Water Planning Councils

Using an iterative approach, the Regional Water Planning Councils will then evaluate the various options with Georgia EPD



# Resource Assessment

## Additional Information in Future Council Meetings

Presentations by EPD Resource Assessment Experts

Inputs

Key Assumptions

Outputs

Linkages to the planning process

Sensitivity analysis

Limitations of resource assessment models

Future Joint Meetings